



A Review on Seed and Varietal Replacement in Indian Agriculture and Its Impact for Farmers Income

**Konigapaga Sindhuja^{a++}, Nitesh Kumar Singh^{a++},
Kaushal Keshav Raj^{b++}, Srijal Sahu^{a++},
Mukesh Kumar Singh^{c#*} and RP Srivastava^{d†}**

^a Department of Genetics and Plant Breeding, Sam Higginbottom University of Agriculture, Technology and Sciences, Prayagraj -211007 (U.P.), India.

^b Department of Genetics and Plant Breeding, Chaudhary Charan Singh University Meerut, (U.P.), India.

^c Department of Genetics & Plant Breeding, TM Agril. College, Godda (BAU, Ranchi), India.

^d Department of Genetics & Plant Breeding, Faculty of agricultural Sciences, Mandsaur University, Mandsaur-458001, India.

Authors' contributions

This work was carried out in collaboration among all authors. All authors read and approved the final manuscript.

Article Information

DOI: <https://doi.org/10.9734/ajee/2024/v23i10610>

Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/123558>

Original Research Article

Received: 13/07/2024

Accepted: 16/09/2024

Published: 25/09/2024

⁺⁺ PG Scholar;

[#] Assistant Prof.-cum-Junior Scientist;

[†] Associate Professor;

^{*}Corresponding author: E-mail: mks.gpb.bhu@gmail.com;

Cite as: Sindhuja, Konigapaga, Nitesh Kumar Singh, Kaushal Keshav Raj, Srijal Sahu, Mukesh Kumar Singh, and RP Srivastava. 2024. "A Review on Seed and Varietal Replacement in Indian Agriculture and Its Impact for Farmers Income". *Asian Journal of Environment & Ecology* 23 (10):73-82. <https://doi.org/10.9734/ajee/2024/v23i10610>.

ABSTRACT

This article provides a complete overview on the Seed and Varietal Replacement Rates in India and examines the significant advancements in seed technology and their transformative impacts on Indian agriculture. As technological innovations and policy reforms have introduced high-yielding, good quality and resistant varieties for biotic and abiotic stresses, these improvements have greatly influenced seed replacement rates and varietal adoption in different climatic conditions. The study highlights how these developments contribute to enhanced crop productivity, better resource use efficiency, and increased food security. Key areas of focus include the role of biofortification in improving nutritional quality, the adoption of drought-tolerant crops to combat climate challenges, and the benefits of high-quality certified seeds. The article emphasizes that optimizing seed replacement rates and integrating advanced seed technologies are crucial for achieving sustainable agricultural practices and maximizing farm profitability. Continued investment in research and effective extension services are essential to support the widespread adoption of these innovations and drive future advancements in Indian agriculture.

Keywords: Seed replacement rates; varietal adoption; agricultural productivity; seed technology.

1. INTRODUCTION

The evolution of seed technology in Indian agriculture has been a crucial aspect of the country's agricultural development. Technological advancements and policy reforms have created new opportunities for private investments in the seed and agricultural biotechnology sectors in India [1]. These developments have significantly impacted varietal and seed replacement rates, which have played a vital role in enhancing agricultural productivity and food grain production in the country [2]. Seeds, as technological carriers, not only facilitate the realization of the potential of different crop varieties but also enable effective crop management practices [3]. The quality of seeds has been a focal point in Indian agriculture, with studies emphasizing the importance of ensuring the availability of quality seeds to farmers at affordable prices [4]. The impact of quality seeds on agriculture, including enhancing seed replacement rates and varietal replacement rates, has been a subject of analysis to support high yields in field crops [5]. Additionally, the development of high-yielding and stress-tolerant crop varieties, coupled with appropriate production and protection technologies, has led to a remarkable increase in cereals, pulses, and oilseeds production in India [5]. Efforts to improve varietal replacement rates in crops like potato have identified constraints and recommended extension strategies such as participatory varietal development and the establishment of seed villages to accelerate the adoption of new varieties by farmers [6]. Furthermore, the dissemination of productivity-

enhancing agricultural technologies, including improved seed varieties, is crucial for promoting economic growth and ensuring food security in households [7]. These strategies align with the broader goal of increasing agricultural productivity in smallholder farming systems by enhancing access to modern agricultural technologies [8]. The Indian seed and agricultural biotechnology industries have been evolving, with analyses pointing out the need for further market development and increased participation of firms with significant research and development capacities to drive innovation in the sector [9]. The concentration of the industry and the utilization of available technologies, both genetically modified (GM) and non-GM, have been highlighted as areas that require attention to foster growth and competitiveness in the sector [9]. Moreover, the transformation of the Indian agricultural input industry, including the seed sector, has contributed to the growth of agribusiness research and development through strengthened patent policies and the expansion of research-intensive industries [10]. In the context of seed systems, varietal replacement rates serve as performance indicators, reflecting the effectiveness of the seed system and the adoption of new varieties developed through plant breeding efforts [11]. Rationalizing variety selection, promoting varietal replacement, and ensuring seed security for farmers are essential components that need to be addressed to enhance the efficiency of the current seed system in India [12]. The historical assessment of wheat varietal innovations in South Africa underscores the significance of structural changes in the agricultural sector, such as the


establishment of research institutions and deregulation policies, in consolidating efforts towards wheat breeding and varietal improvements.

2. THE SCIENCE BEHIND VARIETAL REPLACEMENT: BENEFITS AND CHALLENGES

Varietal replacement, the process of introducing new crop varieties to agricultural systems, is a crucial aspect of modern farming practices aimed at enhancing productivity, nutritional quality, and resilience to environmental challenges. The adoption of new crop varieties involves a combination of genetic advancements and agronomic practices that can bring about significant benefits but also pose certain challenges [13]. Agronomic biofortification, for instance, has emerged as a valuable method to enhance the nutrient content of crops, contributing to global food and nutritional security [13]. However, the efficiency of nutrient uptake by crops can vary due to factors like soil type, crop management practices, and fertilizer application methods [13]. This underscores the importance of considering various growing conditions and management strategies when introducing new crop varieties to ensure optimal performance.

In the context of varietal replacement, the adoption of drought-tolerant crop varieties, such as drought-tolerant maize in sub-Saharan Africa, can play a vital role in enhancing farmer adaptation to climate challenges [14]. Barriers to the widespread adoption of improved varieties include issues like the unavailability of seeds, lack of information, high seed prices, and perceived attributes of different varieties [14]. Overcoming these barriers requires targeted interventions to improve seed accessibility, provide adequate information to farmers, and address cost-related concerns to promote the adoption of beneficial crop varieties. Biofortification, which involves increasing the density of micronutrients in staple crops through breeding and biotechnology, holds significant promise for addressing malnutrition in vulnerable populations [15]. By enhancing the nutritional quality of staple crops, biofortification efforts have the potential to improve the health and well-being of communities in both

rural and urban settings [15]. This highlights the importance of integrating nutritional considerations into varietal replacement strategies to address public health challenges associated with nutrient deficiencies. Intercropping, a practice that involves growing two or more crops together in the same field, has been recognized for its ability to enhance yield stability, overall productivity, and resilience to pest and disease outbreaks. Incorporating intercropping systems when introducing new crop varieties can offer additional benefits to farmers, contributing to sustainable agricultural practices and diversified food production systems [16]. This underscores the need to consider not only individual crop varieties but also their interactions within agroecosystems to maximize the benefits of varietal replacement. Climate change poses significant challenges to agricultural systems worldwide, necessitating the development of crop varieties with enhanced resilience to changing environmental conditions [17]. By leveraging big data, advanced breeding techniques, and innovative agricultural practices, it is possible to breed crop varieties that exhibit increased productivity, nutritional value, and resilience to climate-related stresses [17]. This emphasizes the importance of incorporating climate resilience as a key trait in new crop varieties to ensure food security in the face of changing climatic conditions. In addition to genetic advancements, agronomic traits play a crucial role in determining the performance of crop varieties in the field, including their suitability for pollinators and overall resource availability [18]. By considering agronomic traits in varietal selection processes, farmers and breeders can predict factors like floral resource availability, which can have implications for pollination and overall crop productivity [18]. This highlights the interconnected nature of genetic and agronomic factors in determining the success of new crop varieties in agricultural systems. After the success of green revolution in India as well as other countries of the World, it has also been observed that the Varietal Replacement Rate (VRR) play an important role to achieve higher crop productivity. The pace of progress in crop production is mostly depend upon the progress of seed programme that could able to supply quality seed of high yielding and resistant varieties with superior genetics.



Graph 1. Comparison of Varietal Replacement Rate (VRR) among major field crops in India (Source: Annual Report: Glimpses, 2023-24, AICRP on Seed (Crops))

In this Graph 1, 5 to 10 years data comprising of Varietal Replacement Rate in major crops of 61 AICRP centres on seeds from the different states of India. The data of ten years of VRR showed the minimum 42.4% in and maximum 97.20% in Rape seed & Mustard and lentil crops respectively. This prove that the VRR is very important for adoptability of new cultivars by farmers and it also more valuable for high yield and crop productivity. As we know that the population increasing very fast day by day, hence, there is a need to increase the crop production in the same proportion but is not achieved by the land races or old cultivars. Quality seed may help for crop yield enhancement because it has the potential to change the scenario of agricultural produce and VRR is the key factor to increase crop productivity as well as crop production.

Understanding the impact of growing conditions on agronomic characteristics and quality attributes of crop varieties are essential for optimizing agricultural production [19]. Research focusing on how different growing seasons affect agronomic traits like protein content in soybean varieties can provide valuable insights into selecting suitable varieties for specific environments [19]. This knowledge can inform

varietal replacement strategies tailored to different growing conditions, ensuring the successful adoption of crop varieties that meet both nutritional and agronomic requirements. Variety adaptability is a key consideration in crop breeding policies, especially in the context of a changing climate that presents new challenges to agricultural system [20]. By incorporating measures of variety adaptability into crop variety guides, it is possible to enhance the adoption of superior crop varieties that are better suited to evolving environmental conditions [20]. This approach benefits both farmers, who gain access to more resilient and productive varieties, and breeders, who can develop varieties with traits that align with changing climate patterns. The Green Revolution, a historical period marked by significant advancements in agricultural productivity, serves as a testament to the transformative impact of adopting new crop varieties and innovative farming practices. The direct effect of increased crop yields, coupled with adjustments in agricultural practices and structural transformations, contributed to substantial improvements in food production and economic indicators [21]. This historical context underscores the importance of continuous innovation in crop breeding and agronomic practices to address current and future challenges in agriculture.


3. ENHANCING PRODUCTIVITY AND SUSTAINABILITY

To enhance productivity and sustainability in agriculture, it is crucial to understand the impact of seed replacement rates on crop yields, pest resistance, and overall farming practices. Research indicates that utilizing improved seeds not only leads to increased crop yield but also boosts the efficiency of other inputs such as fertilizers, irrigation, machinery, and labor, thereby contributing to sustainable crop production [22]. The seed replacement rate (SRR), which measures the proportion of the total cropped area sown with certified seeds compared to farm-saved seeds, plays a significant role in agricultural systems. Studies have shown variations in SRR across different regions, with areas like the Panchkhal valley having a higher SRR of around 60% compared to remote mountain regions with only 5% SRR, highlighting the reliance on hybrid seeds in certain areas [23]. Furthermore, findings suggest that historical underinvestment in seeding rates by farmers could lead to productivity gains if this tendency is eliminated, emphasizing the importance of optimizing seeding rates for maximum return on investment [24]. It has been observed that increasing seed costs can impact overall farm profitability, underscoring the need for farmers to carefully consider and adjust seeding rates to ensure optimal returns [25]. Policymakers in various countries have expressed impatience with the slow progress in enhancing the contribution of modern seed industries to agricultural productivity growth, indicating the urgency of addressing seed system development for sustainable agricultural practices [8]. In situations where degeneration rates and yield effects are significant, farmers are more inclined to replace their own seeds with high-quality seeds, emphasizing the role of seed quality in influencing farmers' decisions and investments [26]. Studies have demonstrated that interventions such as Bradyrhizobium inoculation in organic farming systems can significantly enhance soil fertility, yield production, and quality, highlighting the importance of sustainable farming practices for improved agricultural outcomes [27]. Additionally, research on soybean yield based on planting methods and seeding rates has shown that optimizing seeding rates is essential for maximizing profitability, as an increase in seed mass without a corresponding yield increase may indicate the need for adjustments in seeding

practices [28]. Moreover, the significance of seed priming in agriculture and its role in sustainable farming practices have been highlighted, emphasizing the importance of adopting innovative seed technologies for enhanced agricultural sustainability [29]. Models that inform economic cost-benefit analyses along the seed value chain can provide valuable insights into optimal replacement rates and strategies to address challenges such as invasive pathogens, contributing to improved seed system development and agricultural productivity. Studies comparing certified and farm-saved seeds have shown differences in plant population density, yield, maturity, and seed quality, underscoring the impact of seed sources on crop characteristics and overall productivity [30]. Research on the role of large traders in driving sustainable agricultural intensification in smallholder farms has indicated that sales to large grain traders can lead to higher adoption of inputs like improved seeds, emphasizing the influence of market dynamics on farmers' agricultural practices [31]. Utilizing self-produced seeds by farmers in natural farming systems has been shown to enhance crop performance, suggesting the benefits of farmer-led seed production for sustainable agriculture [32]. The association between the age at first calving and the survival of first lactation heifers within dairy herds highlights the importance of replacement rates and target numbers in dairy farming, emphasizing the need for strategic breeding and culling practices for herd sustainability.

4. ENHANCEMENT IN SEED REPLACEMENT RATE (SRR)

SRR is a measure of cropped area covered with quality seed. Here below referred illustration clearly reflects the incremental trend in nationwide SRR in major cereal and pulse crops. The increment in SRR in crops *viz.* wheat (40.30) and paddy (39.81) is of greater significance and is due combined efforts of varied seed stakeholders and adept policy backing. Farmers were also being contemplating the fact about replacement of seed in high volume and low value crops reflects a sea change in perception and are viewing agriculture as a remunerative enterprise. At present scenario of crop production SRR is having a direct bearing on productivity augmentation and enhancement in farmers' income and it is one of the most important factors that directly involve for achieving doubling the farmers' income in India.



Graph 2 (A & B). Showed graphical SRR of major cereals and pulses crops
 Source: Seed Section, ICAR Enhancement in Seed Replacement Rate (SRR) – NSP (icar.gov.in)

One main factor of enhancement of SRR is the demand of quality seed is increased day by day due to the awareness of farmers about importance of seed. Another factor is the increment in SRR of cereals, pulses and other major crops is renewed emphasis and due to policy initiatives (seed hubs) in Indian seed domain by the Government of India.

5. SITUATIONAL ANALYSIS

Indian farmers in India have made significant progress in enhancing productivity and profitability through the successful implementation of high varietal and seed replacement rates. Notably, advancements in pearl millet and sorghum breeding have led to the adoption of numerous high-yielding, disease-resistant hybrids and open-pollinated varieties by farmers [33]. These improved varieties have played a crucial role in increasing agricultural output and income for farmers across the country. The purity and integrity of seeds have been highlighted as essential factors supporting agricultural growth and the sustainable feeding of India's rapidly growing population [34].

- The Indian seed sector has witnessed substantial growth, driven by proactive policy support and the availability of quality seeds such as Bt cotton, vegetable hybrids, rice, and maize single cross hybrids [8]. This growth has empowered farmers to achieve better yields and economic returns. Moreover, the rise in seed replacement rates in regions like Tamil Nadu has been associated with improved agricultural outcomes, indicating the positive impact of adopting new seed varieties [35]. This shift towards higher seed replacement rates reflects a broader

trend in Indian agriculture towards embracing improved seed technologies for enhanced productivity. India possesses a robust seed system that includes both public sector institutions and private seed companies, acting as a catalyst for agricultural expansion and success [3]. This comprehensive seed system has been instrumental in driving growth within the agricultural sector and enabling farmers to access a diverse range of high-quality seeds tailored to their specific needs. Additionally, the successful adoption of new bread wheat varieties in Afghanistan highlights the importance of farmers correctly identifying and utilizing improved seed varieties to maximize agricultural productivity [36]. This emphasis on varietal selection underscores the critical role that advanced seeds play in transforming farming practices and outcomes.

- The agricultural sector in India holds significant economic importance, contributing substantially to the country's Gross Domestic Product (GDP) and providing employment for a large portion of the population [37]. Efforts to enhance productivity and sustainability in rice cultivation have emphasized varietal development, soil and water management, and the adoption of resource conservation technologies as key intervention areas to address existing challenges [38]. By focusing on these critical aspects, farmers can optimize their agricultural practices and achieve better outcomes in terms of both yield and profitability.
- The cultivation of grass pea (*Lathyrus sativus* L.) has gained popularity among resource-poor Indian farmers due to its rich

nutritional composition, minimal input requirements, and exceptional resilience to environmental stresses [39]. This shift towards cultivating grass pea exemplifies how farmers are strategically choosing crops that offer both nutritional benefits and economic viability. Furthermore, successful stories of implementing measures to limit water use during drought periods underscore the importance of adopting sustainable practices to mitigate environmental challenges [40]. Such initiatives demonstrate the adaptability and resilience of Indian farmers in the face of varying climatic conditions.

- Incorporating advanced seed technologies, such as certified seeds, has been shown to significantly impact rice production outcomes, with farmers using certified seeds achieving higher net incomes compared to those using traditional seeds [41]. This shift towards certified seeds reflects a broader trend towards embracing improved seed varieties to enhance agricultural productivity and profitability. Additionally, participatory approaches involving farmers in the evaluation and selection of wheat varieties have been instrumental in promoting the adoption of high-yielding varieties and improving community-based seed production systems [42]. By actively engaging farmers in the varietal selection process, agricultural stakeholders can ensure the widespread adoption of superior seed varieties.
- The utilization of DNA fingerprinting techniques to map rice biodiversity across Bangladesh has provided valuable insights into regional varietal preferences and distribution patterns [43]. This knowledge is crucial for informing varietal replacement strategies and developing targeted agricultural policies that align with the specific needs of different agro-ecological regions. Moreover, the assessment of wheat seed demand assisted by genotyping in Ethiopia has demonstrated the potential of genotyping technologies to optimize resource allocation and accelerate varietal replacement rates within the seed sector [11]. By leveraging genotyping tools, agricultural stakeholders can make informed decisions that enhance the efficiency and effectiveness of seed production and distribution processes [44].

6. CONCLUSION

It may be concluded that SRR and VRR are playing an important role to enhance the crop productivity of the country as well as World at present, while advancements in seed technology and varietal innovation also helped to transformed the Indian agriculture profoundly in recent years. By developing and adopting high-yielding, disease-resistant, and climate-resilient varieties, India build the capacity to enhance crop productivity and ensure food security to the largest population in the world. Innovations such as genetically modified seeds and precision breeding are paving the way for more robust and adaptable crops, addressing challenges posed by climate change and resource limitations. The integration of advanced seed technologies promises increased resilience against pests and diseases, reduced dependency on chemical inputs, and improved overall agricultural sustainability. Looking ahead, continued investment in research and development, coupled with effective extension services, will be crucial for the widespread adoption of these innovations. As seed technology evolves, it is expected to drive significant improvements in crop performance and farm profitability, thus reshaping the future of Indian agriculture towards greater efficiency and sustainability.

DISCLAIMER (ARTIFICIAL INTELLIGENCE)

Author(s) hereby declare that NO generative AI technologies such as Large Language Models (ChatGPT, COPILOT, etc) and text-to-image generators have been used during writing or editing of manuscripts.

COMPETING INTERESTS

Authors have declared that no competing interests exist.

REFERENCES

1. Sarikurt B. A look to the world's 6th biggest seed market: India. *Mas Journal of Applied Sciences*. 2021;7(7). Available:<https://doi.org/10.52520/masjaps.49>
2. Singh K, Chauhan J, Choudhury P, Thakur A. Recent trends in crop breeding, the varietal induction in seed chain and its impact on food grain production in India. *Indian Journal of Genetics and Plant Breeding*. 2022;82(03):259-279.

3. Chauhan J. Analysis of seed chain and its implication in rapeseed-mustard (*brassica spp.*) production in india. Journal of Oilseeds Research. 2020;37(2): Available:<https://doi.org/10.56739/jor.v37i2.136408>
4. Chauhan J, Pal S, Choudhury P, Singh B. All India coordinated research projects and value for cultivation and use in field crops in India: genesis, outputs and outcomes. Indian Journal of Agricultural Research. 2016;50(6):123-128. Available:<https://doi.org/10.18805/ijare.v50i6.6687>
5. Chauhan J, Prasad S, Pal S, Choudhury P, Bhaskar K. Seed production of field crops in India: quality assurance, status, impact and way forward. The Indian Journal of Agricultural Sciences. 2016;86(5). Available:<https://doi.org/10.56093/ijas.v86i5.58233>
6. Kharumnuid P, Devarani N, Singh R. Assessment of varietal replacement rate of potato in India: Constraints and extension strategies for improvement. Ecology Environment and Conservation. 2022; 28(4):472-480.
7. Hailu H. Impacts of adopting improved wheat varieties on household food security in girar jarso district, Ethiopia. Review of Agricultural and Applied Economics. 2022; 25(1):73-86. Available:<https://doi.org/10.15414/raae.2022.25.01>.
8. Spielman D, Kennedy A. Towards better metrics and policymaking for seed system development: insights from asia's seed industry. Agricultural Systems. 2016;147: 111-122.
9. Spielman D, Kolady D, Cavalieri A, Rao N. The seed and agricultural biotechnology industries in India: An analysis of industry structure, competition, and policy options. Food Policy. 2014; 45(2):88-100.
10. Pray C, Nagarajan L. The transformation of the Indian agricultural input industry: Has it increased agricultural scope. Agricultural Economics. 2014;45(S1):145-156.
11. Habte E, Yirga C, Jaleta M, Tesfaye K, Bekele A, Erenstein O. Wheat seed demand assessment assisted by genotyping in Ethiopia. Experimental Agriculture. 2023;14(2):59-66. Available:<https://doi.org/10.1017/s0014479723000042>
12. Hossain S, Nayak S. Paradox of rice seed system in india. Grassroots Journal of Natural Resources. 2020;3(1):29-35.
13. Bhardwaj A, Chejara S, Malik K, Kumar R, Yadav R. Agronomic biofortification of food crops: An emerging opportunity for global food and nutritional security. Frontiers in Plant Science. 2022;13. Available:<https://doi.org/10.3389/fpls.2022.1055278>
14. Fisher M, Abate T, Lunduka R, Asnake W, Alemayehu Y, Madulu R. Drought tolerant maize for farmer adaptation to drought in sub-saharan Africa: Determinants of adoption in eastern and southern Africa. Climatic Change. 2015;133(2):283-299.
15. Pfeiffer W, McClafferty B. Harvestplus: breeding crops for better nutrition. Crop Science. 2007;47(S3). Available:<https://doi.org/10.2135/cropsci2007.09.0020ipbs>
16. Moore V, Schlautman B, Fei S, Roberts L, Wolfe M, Ryan M, Lorenz A. Plant breeding for intercropping in temperate field crop systems: A review. Frontiers in Plant Science. 2022;13-21. Available:<https://doi.org/10.3389/fpls.2022.843065>
17. Yuan Y. Supporting crop plant resilience during climate change. Crop Science. 2023;63(4):1816-1828.
18. Fairhurst S, Cole L, Kocarkova T, Jones-Morris C, Evans K, Jackson G. Agronomic traits in oilseed rape (*brassica napus*) can predict foraging resources for insect pollinators. Agronomy. 2021;11(3):440-449. Available:<https://doi.org/10.3390/agronomy11030440>
19. Bakal H, Güllüoğlu L, Onat B, Arioğlu H. The effect of growing seasons on some agronomic and quality characteristics of soybean varieties in mediterranean region in turkey. Turkish Journal of Field Crops; 2017. Available:<https://doi.org/10.17557/tjfc.356213>
20. Torshizi M, Gray R. Adaptability and variety adoption: implications for plant breeding policy in a changing climate. Australian Journal of Agricultural and Resource Economics. 2022;66(4):842-859.
21. Pingali P. Green revolution: Impacts, limits, and the path ahead. Proceedings of the National Academy of Sciences. 2012; 109(31):12302-12308.

22. Gautam D, Dhakal S, Kattel R, Khanal N. Strengthening the competitiveness of the lentil seed system of Nepal: A value chain approach. *Journal of Agribusiness and Rural Development*. 2023;67(1):63-77.
23. Freshley D, Delgado-Serrano M. Learning from the past in the transition to open-pollinated varieties. *Sustainability*. 2020; 12(11):4716-4722. Available:<https://doi.org/10.3390/su12114716>
24. Perry E, Hennessy D, Moschini G. Uncertainty and learning in a technologically dynamic industry: seed density in US maize. *American Journal of Agricultural Economics*. 2021;104(4):1388-1410. Available:<https://doi.org/10.1111/ajae.12276>
25. Mourtzinis S, Roth A, Gaska J, Conley S. Planting method and seeding rate effect on whole and partitioned soybean yield. *Agrosystems Geosciences and Environment*. 2021;4(3). Available:<https://doi.org/10.1002/agg2.20208>
26. Almekinders C, Walsh S, Jacobsen K, Andrade J. Why interventions in the seed systems of roots, tubers and bananas crops do not reach their full potential: A reflection based on literature and thirteen case studies; 2017. Available:<https://doi.org/10.31219/osf.io/w4v2q>
27. Gitonga N, Njeru E, Cheruiyot R, Maingi J. Brady rhizobium inoculation has a greater effect on soybean growth, production and yield quality in organic than conventional farming systems. *Cogent Food and Agriculture*. 2021;7(1):213-221. Available:<https://doi.org/10.1080/23311932.2021.1935529>
28. Bruin J, Pedersen P. Effect of row spacing and seeding rate on soybean yield. *Agronomy Journal*. 2008;100(3):704-710.
29. Thapa S, Adhikari J, Limbu A, Joshi A, Nainabasti A. Significance of seed priming in agriculture and for sustainable farming. *Tropical Agroecosystems*. 2020;1(1):01-06.
30. Clayton G, Brandt S, Johnson E, O'Donovan J, Harker K, Blackshaw R, Hartman M. Comparison of certified and farm-saved seed on yield and quality characteristics of canola. *Agronomy Journal*. 2019;101(6):1581-1588.
31. Mulwa C, Muyanga M, Visser M. The role of large traders in driving sustainable agricultural intensification in smallholder farms: evidence from Kenya. *Agricultural Economics*. 2021;52(2):329-341. Available:<https://doi.org/10.1111/agec.12621>
32. Katsu Y, Kato K, Abe S, Miyazawa K. Seed source effects on germination, growth, and yield of carrots under natural farming. *Journal of Horticultural Research*. 2021;29(2):117-126.
33. Charyulu D, Singh N, Shyam D, Bantilan C. Development and diffusion of dryland cereals in semi-arid tropics of India-role of partnerships. *Agricultural Economics Research Review*. 2014;27(1):157-162.
34. Sargar P. Maintenance breeding. 2024; 129-142. Available:<https://doi.org/10.58532/nbennur.ch226>
35. Amirudin A. Farm-level study of paddy seed production in madurai district. *International Journal of Agricultural Science and Research*. 2019;9(4):47-52.
36. Dreisigacker S, Sharma R, Huttner E, Karimov A, Obaidi M, Singh P, Braun H. Tracking the adoption of bread wheat varieties in afghanistan using dna fingerprinting. *BMC Genomics*. 2019;20(1). Available:<https://doi.org/10.1186/s12864-019-6015-4>
37. Vijay E. Design and fabrication of manual ploughing and seeding machine. *International Journal for Research in Applied Science and Engineering Technology*. 2017;V(IX):61-64.
38. Kumar N, Chhokar R, Meena R, Kharub A, Gill S, Tripathi S, Singh G. Challenges and opportunities in productivity and sustainability of rice cultivation system: A critical review in Indian perspective. *Cereal Research Communications*. 2021;50(4): 573-601.
39. Banerjee P, Ghosh A, Kumari V, Nath R. Effect of canopy temperature on physiological processes of grass pea as influenced by seed priming and foliar fertilization. *Journal of Agrometeorology*. 2021;23(3):340-343.
40. Kundzewicz Z, Kaczmarek Z. Coping with hydrological extremes. *Water International*. 2000;25(1):66-75.
41. Akanbi S, Mukaila R, Adebisi A. Analysis of rice production and the impacts of the usage of certified seeds on yield and income in cote d'ivoire. *Journal of*

- Agribusiness in Developing and Emerging Economies. 2022;14(2):234-250.
42. Workineh A, Abate B, Kefalle D. Participatory evaluation and selection of bread wheat varieties: Implication for sustainable community-based seed production and farmer level varietal portfolio managements at southern Ethiopia. World Journal of Agricultural Research. 2014;2(6):315-320.
43. Kretzschmar T, Mbanjo E, Magalit G, Dwiyanthi M, Habib M, Diaz M, Yamano T. Dna fingerprinting at farm level maps rice biodiversity across Bangladesh and reveals regional varietal preferences. Scientific Reports. 2018;8(1):01-12. Available:<https://doi.org/10.1038/s41598-018-33080-z>
44. Annual Report Glimpses, AICRP on Seed (Crops); 2023-24. Available:[https://seedres.icar.gov.in/uploads/files/1/AICRP%20NSP%20\(Crops\)/2023-2024.pdf](https://seedres.icar.gov.in/uploads/files/1/AICRP%20NSP%20(Crops)/2023-2024.pdf)

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of the publisher and/or the editor(s). This publisher and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.

© Copyright (2024): Author(s). The licensee is the journal publisher. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Peer-review history:
The peer review history for this paper can be accessed here:
<https://www.sdiarticle5.com/review-history/123558>